

CS 152
Computer Programming
Fundamentals
Quiz 6

Brooke Chenoweth

University of New Mexico

Spring 2025

Question 1

The Java statement: `System.out.println("Hello");`

- A Displays "Hello" by creating a System object.
- B Displays "Hello" by creating a System.out object.
- C Displays "Hello" by creating a System.out.println object.
- D Creates the class "Hello" and sends it to the default display device.
- E Calls the method `println` of the object `System.out` with the argument "Hello".

Question 1

The Java statement: `System.out.println("Hello");`

- A Displays "Hello" by creating a System object.
- B Displays "Hello" by creating a System.out object.
- C Displays "Hello" by creating a System.out.println object.
- D Creates the class "Hello" and sends it to the default display device.
- E Calls the method `println` of the object `System.out` with the argument "Hello".

Question 2

```
public class Foo {  
    public static void main(String[] args) {  
        int a = 3;  
        a = 2*a+1;  
        int b = 2;  
        System.out.println(a + "/" + b + " = " + a/b);  
    }  
}
```

A $7/2 = 3.5$

B $7/2 = 3$

C $a/b = 3.5$

D $a/b = a/b$

E This would result in an error.

Question 2

```
public class Foo {  
    public static void main(String[] args) {  
        int a = 3;  
        a = 2*a+1;  
        int b = 2;  
        System.out.println(a + "/" + b + " = " + a/b);  
    }  
}
```

A $7/2 = 3.5$

B $7/2 = 3$

C $a/b = 3.5$

D $a/b = a/b$

E This would result in an error.

Question 3

```
public class Foo {  
    public static void main(String[] args) {  
        System.out.println(1 + "2" + 3 * 4 + 5);  
    }  
}
```

- A 20
- B 1217
- C 12125
- D 12345
- E This would result in an error

Question 3

```
public class Foo {  
    public static void main(String[] args) {  
        System.out.println(1 + "2" + 3 * 4 + 5);  
    }  
}
```

- A 20
- B 1217
- C 12125
- D 12345
- E This would result in an error

Question 4

```
public class Foo {  
    public static void main(String[] args) {  
        String str = "Hello";  
        str.toUpperCase();  
        System.out.println(str);  
    }  
}
```

- A Hello
- B HELLO
- C hello
- D hELLO
- E Hello HELLO

Question 4

```
public class Foo {  
    public static void main(String[] args) {  
        String str = "Hello";  
        str.toUpperCase();  
        System.out.println(str);  
    }  
}
```

- A Hello
- B HELLO
- C hello
- D hELLO
- E Hello HELLO

Question 5

```
public class Foo {  
    public static void main(String[] args) {  
        String name1 = "Hello";  
  
        name1.substring(1,4);  
        String name2 = name1.substring(2);  
  
        System.out.println(name2);  
        System.out.println(name1);  
    }  
}
```

Question 5

```
public class Foo {  
    public static void main(String[] args) {  
        String name1 = "Hello";  
  
        name1.substring(1,4);  
        String name2 = name1.substring(2);  
  
        System.out.println(name2);  
        System.out.println(name1);  
    }  
}
```

llo

Hello