

CS 251

Intermediate Programming

Quiz 5

Brooke Chenoweth

University of New Mexico

Spring 2025

Question 1 – abstract final

You are up late coding and have to create a class. You accidentally type in `public abstract final class LateNightCode`, and the compiler chokes. Why do you get a compiler error on this definition?

Question 1 – abstract final

You are up late coding and have to create a class. You accidentally type in `public abstract final class LateNightCode`, and the compiler chokes. Why do you get a compiler error on this definition?

It really makes no sense to create an abstract final class since abstract classes *must* be extended, and final classes *can't* be extended.

Question 2 – Anonymous Inner Class

An anonymous inner class is:

- A An object that has forgotten what class it was created from.
- B A class, such as `Object` that can represent any class.
- C A class both defined and instantiated in a single expression within a method.

Question 2 – Anonymous Inner Class

An anonymous inner class is:

- A An object that has forgotten what class it was created from.
- B A class, such as `Object` that can represent any class.
- C A class both defined and instantiated in a single expression within a method.

Question 3 – Access Modifiers

Ordered from least to most visibility:

Question 3 – Access Modifiers

Ordered from least to most visibility:

`private` Only this class

Question 3 – Access Modifiers

Ordered from least to most visibility:

`private` Only this class

`package-private` No modifier. This class and others in same package.

Question 3 – Access Modifiers

Ordered from least to most visibility:

`private` Only this class

`package-private` No modifier. This class and others in same package.

`protected` Only this class and its subclasses

Question 3 – Access Modifiers

Ordered from least to most visibility:

`private` Only this class

`package-private` No modifier. This class and others in same package.

`protected` Only this class and its subclasses

`public` Accessible to all

Question 4 – Parent/InnerChild

```
public class Parent {
    public int x = 0;

    public Parent(int x) {
        this.x = x;
    }

    public class InnerChild extends Parent {
        public int x = 1;

        public InnerChild(int x) {
            super(2*x);
            this.x = x;
        }

        public void innerMethod(int x) {
            outerMethod(x);
            System.out.println(x);
            System.out.println(this.x);
            System.out.println(super.x);
            System.out.println(Parent.this.x);
        }
    }
}
```

Question 4 – Parent/InnerChild cont.

```
public void outerMethod(int x) {  
    System.out.println(x);  
    System.out.println(this.x);  
}  
  
public static void main(String[] args) {  
    int x = 37;  
    Parent p = new Parent(x);  
    x = 6;  
    Parent c1 = p.new InnerChild(x + 1);  
    InnerChild c2 = p.new InnerChild(x - 1);  
  
    p.outerMethod(2);  
    c1.outerMethod(3);  
    c2.innerMethod(4);  
}  
}
```

Question 4 – Parent/InnerChild result

2

37

3

14

4

10

4

5

10

37