

# CS 362, All Pairs Shortest Paths

Jared Saia

University of New Mexico

# Outline

- All Pairs Shortest Paths
- Floyd Warshall Algorithm

# All-Pairs Shortest Paths

- For the single-source shortest paths problem, we wanted to find the shortest path from a source vertex  $s$  to all the other vertices in the graph
- We will now generalize this problem further to that of finding the shortest path from *every* possible source to *every* possible destination
- In particular, for every pair of vertices  $u$  and  $v$ , we need to compute the following information:
  - $dist(u, v)$  is the length of the shortest path (if any) from  $u$  to  $v$
  - $pred(u, v)$  is the second-to-last vertex (if any) on the shortest path (if any) from  $u$  to  $v$

## Example

- For any vertex  $v$ , we have  $dist(v, v) = 0$  and  $pred(v, v) = NULL$
- If the shortest path from  $u$  to  $v$  is only one edge long, then  $dist(u, v) = w(u \rightarrow v)$  and  $pred(u, v) = u$
- If there's no shortest path from  $u$  to  $v$ , then  $dist(u, v) = \infty$  and  $pred(u, v) = NULL$

# APSP

- The output of our shortest path algorithm will be a pair of  $|V| \times |V|$  arrays encoding all  $|V|^2$  distances and predecessors.
- Many maps contain such a distance matrix - to find the distance from (say) Albuquerque to (say) Ruidoso, you look in the row labeled “Albuquerque” and the column labeled “Ruidoso”
- In this class, we’ll focus only on computing the distance array
- The predecessor array, from which you would compute the actual shortest paths, can be computed with only minor additions to the algorithms presented here

# Lots of Single Sources

- Most obvious solution to APSP is to just run SSSP algorithm  $|V|$  times, once for every possible source vertex
- Specifically, to fill in the subarray  $dist(s, *)$ , we invoke either Dijkstra's or Bellman-Ford starting at the source vertex  $s$
- We'll call this algorithm ObviousAPSP

# ObviousAPSP

```
ObviousAPSP(V,E,w){  
  for every vertex s{  
    dist(s,*) = SSSP(V,E,w,s);  
  }  
}
```

## Analysis

- The running time of this algorithm depends on which SSSP algorithm we use
- If we use Bellman-Ford, the overall running time is  $O(|V|^2|E|) = O(|V|^4)$
- If all the edge weights are positive, we can use Dijkstra's instead, which decreases the run time to  $O(|V||E| + |V|^2 \log |V|) = O(|V|^3)$



# Problem

- We'd like to have an algorithm which takes  $O(|V|^3)$  but which can also handle negative edge weights
- We'll see that a dynamic programming algorithm, the Floyd Warshall algorithm, will achieve this
- Note: the book discusses another algorithm, Johnson's algorithm, which is asymptotically better than Floyd Warshall on sparse graphs. However we will not be discussing this algorithm in class.

# Dynamic Programming

- Recall: Dynamic Programming = Recursion + Memorization
- Thus we first need to come up with a recursive formulation of the problem
- We might recursively define  $dist(u, v)$  as follows:

$$dist(u, v) = \begin{cases} 0 & \text{if } u = v \\ \min_x (dist(u, x) + w(x \rightarrow v)) & \text{otherwise} \end{cases}$$

## The problem

- In other words, to find the shortest path from  $u$  to  $v$ , try all possible predecessors  $x$ , compute the shortest path from  $u$  to  $x$  and then add the last edge  $x \rightarrow v$
- **Unfortunately, this recurrence doesn't work**
- To compute  $dist(u, v)$ , we first must compute  $dist(u, x)$  for every other vertex  $x$ , but to compute any  $dist(u, x)$ , we first need to compute  $dist(u, v)$
- We're stuck in an infinite loop!

## The solution

- To avoid this circular dependency, we need some additional parameter that decreases at each recursion and eventually reaches zero at the base case
- One possibility is to include the number of edges in the shortest path as this third magic parameter
- So define  $dist(u, v, k)$  to be the length of the shortest path from  $u$  to  $v$  that uses *at most*  $k$  edges
- Since we know that the shortest path between any two vertices uses at most  $|V| - 1$  edges, what we want to compute is  $dist(u, v, |V| - 1)$

# The Recurrence

$$\text{dist}(u, v, k) = \begin{cases} 0 & \text{if } u = v \\ \infty & \text{if } k = 0 \text{ and } u \neq v \\ \min_x (\text{dist}(u, x, k - 1) + w(x \rightarrow v)) & \text{otherwise} \end{cases}$$

# The Algorithm

- It's not hard to turn this recurrence into a dynamic programming algorithm
- Even before we write down the algorithm, though, we can tell that its running time will be  $\Theta(|V|^4)$
- This is just because the recurrence has four variables —  $u$ ,  $v$ ,  $k$  and  $x$  — each of which can take on  $|V|$  different values
- Except for the base cases, the algorithm will just be four nested “for” loops

# DP-APSP

```
DP-APSP(V,E,w){
  for all vertices u in V{
    for all vertices v in V{
      if(u=v)
        dist(u,v,0) = 0;
      else
        dist(u,v,0) = infinity;
    }
  }
  for k=1 to |V|-1{
    for all vertices u in V{
      for all vertices v in V{
        dist(u,v,k) = infinity;
        for all vertices x in V{
          if (dist(u,v,k)>dist(u,x,k-1)+w(x,v))
            dist(u,v,k) = dist(u,x,k-1)+w(x,v);
        }
      }
    }
  }
}
```

# The Problem

- This algorithm still takes  $O(|V|^4)$  which is no better than the ObviousAPSP algorithm
- If we use a certain divide and conquer technique, there is a way to get this down to  $O(|V|^3 \log |V|)$  (think about how you might do this)
- However, to get down to  $O(|V|^3)$  run time, we need to use a different third parameter in the recurrence



# Floyd-Warshall

- Number the vertices arbitrarily from 1 to  $|V|$
- Define  $dist(u, v, r)$  to be the shortest path from  $u$  to  $v$  where all *intermediate* vertices (if any) are numbered  $r$  or less
- If  $r = 0$ , we can't use any intermediate vertices so shortest path from  $u$  to  $v$  is just the weight of the edge (if any) between  $u$  and  $v$
- If  $r > 0$ , then either the shortest legal path from  $u$  to  $v$  goes through vertex  $r$  or it doesn't
- We need to compute the shortest path distance from  $u$  to  $v$  with no restrictions, which is just  $dist(u, v, |V|)$

## The recurrence

We get the following recurrence:

$$\text{dist}(u, v, r) = \begin{cases} w(u \rightarrow v) & \text{if } r = 0 \\ \min\{\text{dist}(u, v, r - 1), \\ \text{dist}(u, r, r - 1) + \text{dist}(r, v, r - 1)\} & \text{otherwise} \end{cases}$$

# The Algorithm

```
FloydWarshall(V,E,w){
  for u=1 to |V|{
    for v=1 to |V|{
      dist(u,v,0) = w(u,v);
    }}
  for r=1 to |V|{
    for u=1 to |V|{
      for v=1 to |V|{
        if (dist(u,v,r-1) < dist(u,r,r-1) + dist(r,v,r-1))
          dist(u,v,r) = dist(u,v,r-1);
        else
          dist(u,v,r) = dist(u,r,r-1) + dist(r,v,r-1);
      }}}
  }}}}
```

## Analysis

- There are three variables here, each of which takes on  $|V|$  possible values
- Thus the run time is  $\Theta(|V|^3)$
- Space required is also  $\Theta(|V|^3)$

## Take Away

- Floyd-Warshall solves the APSP problem in  $\Theta(|V|^3)$  time even with negative edge weights
- Floyd-Warshall uses dynamic programming to compute APSP
- We've seen that sometimes for a dynamic program, we need to introduce an *extra variable* to break dependencies in the recurrence.
- We've also seen that the choice of this extra variable can have a big impact on the run time of the dynamic program