## CS 522: Digital Image Processing Homework 3 (Spring '07)

- 1. Characterize the following as linear, or non-linear, and as even, odd, or neither, and prove your characterization. In these functions, *x* is real, and *z* is complex.
  - (a) f(x) = 7x + 1
  - (b)  $f(x) = x^2 x$
  - (c)  $f(x) = e^{-x^2}$
  - (d) f(z) = 3z 2
  - (e)  $f(z) = z z^*$
  - (f)  $f(z) = \operatorname{Im}(z)$
  - (g)  $f(z) = z^{\frac{1}{2}}$
- 2. The  $\int$  operator takes a function, f, as its argument and returns the antiderivative of the function:  $f \xrightarrow{\int} \int f(t)dt$ . Prove that the  $\int$  operator is:
  - (a) Linear.
  - (b) Shift-invariant.
- 3. Prove that  $\sin(x) = \frac{e^{jx} e^{-jx}}{2j}$ .
- 4. The impulse response function of a linear, shift-invariant system is:

$$h(t) = \frac{\sin(\pi t)}{\pi t}$$

and its input is:

$$x(t) = \cos(4\pi t) + \cos(\pi t/2).$$

What is its output?

5. The impulse response function of a linear, shift-invariant system is:

$$h(t) = e^{-\frac{\pi t^2}{2}}$$

and its input is:

$$x(t)=e^{j2\pi s_0 t}.$$

What is its output?

- 6. The sine Gabor function is the product of a sine and a Gaussian,  $f(t) = e^{-\pi t^2} \sin(2\pi s_0 t)$ . Give an expression for F(s), the Fourier transform of f(t).
- 7. Prove that the sum of two Gaussian random variables with variances  $\sigma_1^2$  and  $\sigma_2^2$  is a Gaussian random variable with variance  $\sigma_1^2 + \sigma_2^2$ .
- 8. The function, f(t), is defined as:

$$f(t) = \begin{cases} 1 & \text{if } |at - b| \le \frac{1}{2} \\ 0 & \text{otherwise.} \end{cases}$$

Give an expression for F(s), the Fourier transform of f(t).

9. The transfer function of a linear shift invariant system is H(s) = 1/s. The impulse response function, h(t), is  $\mathcal{F}^{-1}{H(s)}$ . Give an expression for g(t) where:

$$g(t) = \int_{-\infty}^{\infty} e^{j2\pi s_0 \tau} h(t-\tau) d\tau.$$

- 10. Compute the Fourier transform of  $f(t) = -2\pi t \ e^{-\pi t^2} \cos(2\pi s_0 t)$ . Hint: What is  $\frac{d(e^{-\pi t^2})}{dt}$ ?
- 11. Prove the following statement: If  $\mathcal{F}{f}(s) = F(s)$  then  $\mathcal{F}{F}(s) = f(-s)$ . Hint: If  $\mathcal{F}{f}(s) = F(s)$  then  $\mathcal{F}^{-1}{F}(t) = f(t)$ .
- 12. Prove that  $\mathcal{F}^{-1}{\mathcal{F}{f}} = f$